iNUKE NU3000

Ultra-Lightweight, High-Density 3000-Watt Power Amplifier

- Delivers 2 x 1500 Watts into
 2 Ohms; 2 x 900 Watts into 4 Ohms;
 3000 Watts into 4 Ohms (bridge mode) and weighs less than
 7 lbs / 3.3 kg
- Ultimate reliability through revolutionary cool-running High-Density Class-D technology with "near-zero" thermal buildup
- Ultra-efficient switch-mode power supply for noise-free audio, superior transient response and low power consumption
- "Zero-Attack" limiters offer maximum output level with reliable overload protection
- Built-in stereo crossover with lowcut, high-cut and full range mode
- Detented and illuminated gain controls for precise level setting
- Precise 4-segment Signal and Limit LEDs to monitor performance
- XLR and ¼" TRS combination input connectors for compatibility with any source
- Professional twist-lock speaker connectors for ultimate reliability
- Independent DC, LF and thermal overload protection on each channel automatically protects amplifier and speakers without shutting down the show
- "Back-to-front" ventilation system prevents thermal buildup for reliable operation
- 3-Year Warranty Program**
- Conceived and designed by BEHRINGER Germany




The iNUKE NU3000 power amplifier packs 3,000 Watts (2 x 1500 Watts @ 2 Ohms; 2 x 900 Watts @ 4 Ohms; 3000 Watts @ 4 Ohms in Bridge mode) into an exceptionally lightweight (7 lbs/3.3 kg) and rack-mountable package. And because the NU3000 is so much more efficient than conventional designs, it runs cooler and don't require the massive heat sinks and heavy toroid transformers



typically associated with its conventional counterparts. You can run it full-out for hours on-end thanks to our "Zero-Attack" limiters, which offer maximum output level with exceptionally-reliable overload protection. Our revolutionary high-density Class-D technology, combined with ultra-efficient, switch-mode power supplies, ensures this feather-light powerhouse will drive your rig effortlessly for many years to come.

Class-D - Massive Power, Perfect Sound

Thanks to our revolutionary Class-D amplifier technology, we are able to provide you with enormous power and incredible sonic performance in an easy-to-use, ultra-portable and lightweight package. Class-D amplification makes all the difference, offering the ultimate in energy efficiency – and eliminating the need for a heavy power supply and massive heat sinks. This amazing technology makes it possible to design and build extremely-powerful products that are significantly lighter in weight than their traditional counterparts, while using less energy and protecting the environment.





iNUKE NU3000

Ultra-Lightweight, High-Density 3000-Watt Power Amplifier




Sublimely Simple Operation

The front panel controls and indicators provide your system's vital signs at a glance. After pressing the Power button, the Power LED lights to show the amp is ready for action. All channels feature positive-detent Gain controls with Signal LEDs that light when a signal is present, as well as Clip LEDs to indicate when the signal is distorted and you need to reduce the input signal.

Just as elegant as the front, the rear panel is home to the combo XLR and ¼" TRS Input connectors, making the iNUKE NU3000 compatible with virtually any source, balanced or unbalanced. Professional twist-lock speaker sockets are provided to ensure every drop of output power gets to your loudspeakers. The rear panel is also where you'll find the switches that enable the NU3000 amp to run in your choice of dual mono, stereo or mono bridge mode.

Three Ways to Shape Your Sound

The NU3000 features a built-in 3-way Crossover, which is selectable as: Full-Range mode, where the output is sent unfiltered to your loudspeakers; LF mode, which sends the low-frequency content (<100 Hz) to passive subwoofers, or HF mode, where the high-frequency content (>100 Hz) is channeled to your full-range loudspeakers.





Sound Value

Sporting massive output ratings, lightweight Class-D technology, an equally lightweight price tag – and all the amenities a professional audio engineer could ask for – the iNUKE NU3000 power amplifier is a serious amp for your most demanding applications.

Experience the iNUKE NU3000 amplifier at your local dealer today, and find out why more and more professionals are turning to BEHRINGER amplifiers for their superb performance and extraordinary value.



iNUKE NU3000

Ultra-Lightweight, High-Density 3000-Watt Power Amplifier

You Are Covered

We always strive to provide the best possible Customer Experience. Our products are made in our own MUSIC Group factory using state-of-the-art automation, enhanced production workflows and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we confidently back it up with a generous 3-Year Warranty program.





iNUKE NU3000

Ultra-Lightweight, High-Density 3000-Watt Power Amplifier







iNUKE NU3000

Ultra-Lightweight, High-Density 3000-Watt Power Amplifier







iNUKE NU3000

Ultra-Lightweight, High-Density 3000-Watt Power Amplifier







Europe MUSIC Group Services UK Tel: +44 156 273 2290 Email: CARE@music-group.com

USA/Canada MUSIC Group Services NV Inc. Tel: +1 702 800 8290 Email: CARE@music-group.com Japan MUSIC Group Services JP K.K. Tel.: +81 3 6231 0454 Email: CARE@music-group.com

